



# TOWN of GREENBURGH

## DEPARTMENT OF BUILDINGS

177 Hillside Avenue, White Plains, New York 10607

(914) 989 - 1560

Fax (914) 993 - 1570

[www.GreenburghNY.com](http://www.GreenburghNY.com)

email: [building@greenburghNY.com](mailto:building@greenburghNY.com)

### **BUILDING PERMIT APPLICATION INSTRUCTIONS & SUBMISSION REQUIREMENTS**

**BUILDING PERMITS ARE ACCEPTED FROM 10:00 AM TO 3:00 PM MONDAY-FRIDAY**

*\*Incomplete Application will be returned\**

#### **REQUIRED FORMS/DOCUMENTATION**

- One original and two copies of application for building permit.
- One original affidavit of ownership signed and notarized
- Contractor /Insurance Information
  - Contractor information filled out on application and signed by contractor
  - Copy of **Westchester Home Improvement License** for residential additions/alterations only
  - **Certificate of Liability Insurance** naming the “Town of Greenburgh” as additional insured
  - **New York State Workers Compensation and Disability Insurance** Forms naming “Town of Greenburgh” as “Certificate Holder” or “Entity Requesting Certificate”.
    - ACORD Forms are **NOT** acceptable for Workers Compensation and Disability
    - To obtain more information please visit the New York State Workers Compensation Board’s Website at [www.WCB.NY.GOV](http://www.WCB.NY.GOV)
  - WC & DB CE-200 *Certificate of Attestation of Exemption from NYS Worker’s Compensation and/or Disability Benefits Coverage*; or WC form C-105.2 *Certificate of Workers Compensation Insurance*; or WC form SI-12 – *Certificate of Workers Compensation Self-Insurance*
  - WC Form U-26.3 *Certificate of NY Worker’s Compensation Insurance from the New York State Insurance Fund*; or WC Form GSI-105.2 *Certificate of Participation in New York State Workers’ Compensation Group Self-Insurance*
  - DB form DB-120.1 *Certificate of Disability Benefits*; or DB form DB-155 *Certificate of Disability Benefits Self-Insurance*
  - **Homeowner acting as general contractor**
    - Submit **declaration page of homeowner’s insurance policy** with rider detailing proof of coverage for proposed project
    - Visit the New York State Workers Compensation Board’s Website at [www.WCB.NY.GOV](http://www.WCB.NY.GOV) Complete and submit **WC & DB CE-200 Certificate of Attestation of Exemption from NYS Worker’s Compensation and/or Disability Benefits Coverage**

**SUBMISSION OF FALSIFIED/ALTERED INSURANCE FORMS IS A VIOLATION OF NEW YORK STATE PENAL LAW 175.30 AND WILL BE SUBJECT TO PROSECUTION**

- Construction Cost** (on back page of application) must be signed and sealed by the NYS Architect/Engineer if estimated cost is \$20,000 or more **OR** for any **Legalization** work. Legalization work is to be estimated by the design professional using current cost analysis.
- Fully executed construction contract** listing the construction cost. The construction cost includes all labor, materials, scaffolding, fixed equipment, professional fees and materials and labor which may be donated gratis.
- One original and two copies of the **ZONING COMPLIANCE FORM** completed by NYS licensed architect or engineer *for any new structure, addition, pool, deck, etc.* (Not required for interior alterations, generators, or sheds)

Over

- If applicant has a homeowner's association, a letter from the homeowner's association must be provided stating they have reviewed and approved the proposed plans
- Truss** construction (if applicable) must be identified on page two of the building permit application
- If private disposal (septic tank/field) and/or well water exist, approval by the Westchester County Health Department (914-813-5256) must be submitted with the application.
- Steep Slopes/Wetlands Clearance Forms (only for exterior work)**  
Any proposed addition, exterior alteration requiring excavation or new structure require submission of a Steep Slopes Clearance Form to the Town Engineer and Wetland/ Watercourse Clearance form to the Department of Community Development. **These forms must be APPROVED by the respective Departments prior to submission of this building permit application.** (Roof-mounted solar panels, generators do not require slope or wetlands clearances, and sheds under 150 sq. ft. with poured concrete bases require wetlands clearance forms)
- Town Engineer Stormwater Management Control Permit (as required by Town Engineer)**  
Applications that include disturbance of 500 square feet or greater require may require a Stormwater Management Control Permit from the Town Engineer.
- Res Check or Com Check (if required)

**REQUIRED PLANS**

- Three (3) complete sets of plans** to scale, each set **with original signature and seals of a New York State licensed architect/engineer**, showing proposed construction and a listing of the allowable unit stresses and other pertinent design criteria used in determining the sizes of structural members for the proposal. Minimum plan size is 18" x 24". Plans must be folded with title block showing.

**Three (3) copies of a certified survey / site plan (exterior alterations only) showing**

- Position of structure with full dimensions.
- Position of parking unit(s)
- Front, side and rear yard setbacks from all structures on site.
- Proposed elevation of base, garage, or cellar floor, whichever is lowest.
- Elevation of existing grade at property corners.
- Elevation of existing grade at building corners.
- Type of erosion control and location of erosion control

**FEES REQUIRED UPON SUBMISSION OF APPLICATION**

**New work**

- Application Fee.....\$ 100.00 +
- Building Permit Fee .....\$ 18.00/per \$1,000 of Construction Cost (ROUND UP)  
*(for example a construction cost of \$2,500 building permit fee would be \$18 \* 3 = \$54+\$100 application fee)*

**Legalization of work previously performed without permits**

- Application Fee..... \$ 200.00+
- Building Permit Fee.....\$ 36.00/per \$1,000 of Construction Cost (ROUND UP)

**OTHER IMPORTANT INFORMATION**

-Do not plant landscaping in the Town's right-of-way

-Dig Safely New York – 1-800-962-7962 or [www.digsafelynewyork.com](http://www.digsafelynewyork.com) before you dig



-Please contact the Department of Public Works/Engineering at 914-989-1580 to inquire if the following permits are required; Right-Of-Way, Street Opening, or Fill. (Please note that if your project requires a permit from DPW it must be procured prior to issuance of the Building Permit)

-Contact the Forestry Officer at 914-989-1538 for a tree removal permit

Over

**SPECIFIC INSTRUCTIONS FOR**  
**SHEDS, KITCHENS, BATHROOMS, GENERATORS, PATIOS, AND POOLS/HOT TUBS**

**SHEDS**

- Sheds up to 100 square feet must be located a minimum of 3 feet from the rear and side property lines. Sheds between 101 and 150 square feet must be located a minimum of 5 feet from the rear and side property lines.
- Sheds are restricted to the rear yard only.
- Maximum height of a shed is 10 ft.

**Required submissions for sheds:**

- Completed building permit application (one original, two copies), affidavit of ownership, \$100 application fee plus \$18.00 per \$1,000 of the cost of the shed
- Three (3) copies of a survey showing the location of the shed (to scale) with distance to rear and side property lines.
- Prefabricated Sheds - Three (3) copies of schematics of shed (obtained from manufacturer or retailer) showing dimensions and material details.
- Hand-built sheds - Three (3) copies of a hand rendering of shed (to scale) detailing materials to be used as all dimensions
- Approved wetlands clearance form (if proposed with concrete base)

**RESIDENTIAL EXISTING KITCHEN AND/OR BATHROOM\* REMODELING** \*added 10/2/2018

If walls are proposed to be removed or installed, please follow all instructions listed on page 1 and 2 of the instructions - all other remodels (that do not include removal or construction of walls) please see below

**Required submissions for kitchen and/or bathroom\* remodels:**

- Building permit application (one original + two copies), all contractor information (insurances and license), affidavit of ownership, \$100 Application Fee + \$18.00/\$1,000 of construction cost
- Three (3) copies of floor plan to scale, showing the location of all appliances, fixtures, cabinetry, counter tops, etc. (if bearing or non-bearing walls are to removed and/or added drawings prepared by a NYS design professional are required) Indicate floor level of kitchen and/or bathroom(s) on plans.

**EMERGENCY AUTOMATIC STAND-BY GENERATORS** -

- Generators must be a minimum of 3 feet from any combustible wall; 18" from 1 Hour rated walls
- Generators must be a minimum of 5 feet from any operable window or door opening
- Generators must be located within the minimum required side/rear yard setback for accessory structures
- Generator noise levels may not exceed 65 dba at any property line

**Required submissions for generators**

- Permit Application (one original, two copies), all contractor information (insurances and license), affidavit of ownership \$100 application fee plus \$18.00/\$1,000 of the cost of the generator
- Completed electrical, plumbing, compressed gas permit applications may be submitted with the generator application, or the trades can file after the permit has been obtained
- Three (3) copies of site plan or survey showing the location of the proposed generator, the dimensions of the proposed generator, setbacks from the rear and side property lines, dimension to the nearest combustible wall (if any), dimension to the nearest operable window and the building setback from each of the side property line. Also show the location of the proposed propane tank. If natural gas is proposed, show location of proposed gas line
- Cut sheets/technical data for the proposed generator including sound data

**ON-GRADE PATIOS** (NOT WOOD)

- Approved slope and wetlands clearance forms (see page 2 of instructions)
- Completed building permit application (one original, two copies), affidavit of ownership, \$100 application fee plus \$18.00 per \$1,000 of the cost of proposed patio (see pages 1-2 of instructions for details)
- Site plan or survey showing location of proposed patio including patio dimensions with distances to rear and side property lines
- Zoning Compliance form detailing size of lot and impervious surface coverage

**SWIMMING POOL / HOT TUBS-Additional required submission documents**

- Approved slope and wetlands clearance forms (see page 2 of instructions)
- Completed building permit application (one original, two copies), affidavit of ownership, \$100 application fee plus \$18.00 per \$1,000 of the cost of proposed pool, zoning compliance form (see pages 1-2 of instructions for details)
- Specifications of pool and/or hot tub, including all equipment, any covers and alarms
- Site plan showing location of pool and/or hot tub and any equipment with distances to property lines
- If decking is proposed around pool and/or hot tub, a New York State licensed architect or engineer is required to prepare drawings (if a hot tub to be located on an existing deck, a licensed NYS architect or engineer must provide certification of structural integrity of deck to support hot tub)
- Provide details of New York State pool barrier compliance



# TOWN OF GREENBURGH APPLICATION FOR BUILDING PERMIT

|   |  |                                     |
|---|--|-------------------------------------|
| <b>Fees</b><br>App Fee: _____<br>Permit Fee: _____<br>Total Fee: _____<br><br>Payment Form:<br>CK CR MO | <b>~OFFICE USE ONLY~</b><br><br><b>Permit Number:</b> _____<br>Application and plans are approved for permit issuance:<br><br>_____<br>Town of Greenburgh Building Inspector | <b>Submission Date</b><br><br>_____ |
|---|--|-------------------------------------|

### SUBJECT PROPERTY INFORMATION

Street Address \_\_\_\_\_ City \_\_\_\_\_ Zip \_\_\_\_\_

Apartment #: \_\_\_\_\_ Floor # \_\_\_\_\_ Suite # \_\_\_\_\_ Parcel ID: \_\_\_\_\_

Zoning District \_\_\_\_\_ Year of Original Construction: \_\_\_\_\_

### OWNER/LESSEE INFORMATION

Owner \_\_\_\_\_ Phone # \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

E-Mail: \_\_\_\_\_

Lessee \_\_\_\_\_ Phone # \_\_\_\_\_

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

E-Mail: \_\_\_\_\_

### CONTRACTOR INFORMATION

Builder's or Contractor's Name: \_\_\_\_\_

Address: \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Telephone: \_\_\_\_\_ E-mail \_\_\_\_\_

**I hereby agree to perform all work in accordance with the plans submitted in support of this application and further agree to submit revised plans/permit for any changes to the approved plans.**

Printed Name: \_\_\_\_\_

Signature : \_\_\_\_\_ Date: \_\_\_\_\_

### DESIGN PROFESSIONAL INFORMATION

Registered Architect: \_\_\_\_\_ Professional Engineer: \_\_\_\_\_

Address : \_\_\_\_\_ Address : \_\_\_\_\_

City/State/Zip: \_\_\_\_\_ City/State/Zip \_\_\_\_\_

Telephone Number: \_\_\_\_\_ Telephone Number : \_\_\_\_\_

N.Y.S. License Number : \_\_\_\_\_ N.Y.S. License Number : \_\_\_\_\_

E-Mail: \_\_\_\_\_ E-Mail: \_\_\_\_\_

STEEP SLOPES CLEARANCE #: \_\_\_\_\_ WETLANDS CLEARANCE # \_\_\_\_\_ STORM WATER #: \_\_\_\_\_

PLANNING BOARD CASE #: \_\_\_\_\_ ZBA CASE #: \_\_\_\_\_ TOWN BOARD # \_\_\_\_\_

**SEWAGE DISPOSAL:**  Public  Private **FIRE SPRINKLER SYSTEM**  Yes  No  
**EROSION CONTROL:**  Hay Bales  Silt Fence  Other \_\_\_\_\_

**CONSTRUCTION CLASSIFICATION**  **Type 1**  **Type 2**  **Type 3**  **Type 4**  **Type 5**  
(Non-Combustible) (Non-Combustible) (Ext. Walls Non-Cmbst.) (Heavy Timber) (Wood Frame)  
(Ref. Table 601)  1a  1b  2a  2b  3a  3b  4  5a  5b

**Construction will utilize:**  
 Truss Type Construction (TT)  Pre-Engineering Wood Construction (PW)  Timber Construction (TC)

**In the following areas:**  
 Floor Framing (F)  Roof Framing (R)  Floor Framing and Roof Framing (FR)

**USE AND OCCUPANCY CLASSIFICATION:** \_\_\_\_\_ (Refer to Chapter 3 of IBC)

**Hazardous Materials Stored on Site:**  No  Yes if yes, attach list of materials and amounts to be stored

**RESIDENTIAL:**

NEW BUILDING  ADDITION  ALTERATION  OTHER: \_\_\_\_\_

ONE-FAMILY  TWO-FAMILY  MULTI-FAMILY # of Units \_\_\_\_\_  
**Existing Proposed**

Number of Bedrooms: \_\_\_\_\_  
Number of Full Bathrooms: \_\_\_\_\_  
Number of Powder Rooms: \_\_\_\_\_  
Attic  Finished  Unfinished  Finished  Unfinished  
Basement  Finished  Unfinished  Finished  Unfinished

**NON-RESIDENTIAL:**

NEW BUILDING  ADDITION  ALTERATION  OTHER: \_\_\_\_\_  
 OFFICE  RETAIL  MERCANTILE  STORAGE  OTHER \_\_\_\_\_

**DESCRIPTION OF WORK TO BE PERFORMED:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CONSTRUCTION COST:** \$ \_\_\_\_\_

**AFFIDAVIT OF CONSTRUCTION COST**

This affidavit must be complete by the Design Professional if the estimates cost is \$20,000 or more OR for Legalizations

I \_\_\_\_\_ do hereby affirm and certify as follows: (i) I am an architect/engineer (circle one) licensed by the State of New York; (ii) I have reviewed the plans, drawings and specifications for this application and am fully familiar with the proposed construction; (iii) based on my training and experience, I estimate the total cost of construction including all labor, all materials, all professional fees and all associated costs to be approximately \$ \_\_\_\_\_, and (iv) pursuant to Penal Law § 210.45, I acknowledge that a false written state made knowingly is a class A misdemeanor.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Sign and Affix Seal





***\*This Page is left intentionally blank\****





## ZONING COMPLIANCE FORM

This form must be completed, signed and sealed by the design professional

Date: \_\_\_\_\_ Property Address: \_\_\_\_\_

Preparer's Name: \_\_\_\_\_ Zoning District: \_\_\_\_\_



| COVERAGE REQUIREMENTS  |           |          |          |
|--|-----------|----------|----------|
|  | PERMITTED | EXISTING | PROPOSED |
| <b>LOT AREA (IN SQ FT)</b>   |           |          |          |
| <b>BUILDABLE LOT AREA - (IN SQ FT)</b>                                       |           |          |          |
| <b>PRINCIPAL BUILDING COVERAGE (IN PERCENT)</b>                              |           |          |          |
| <b>IMPERVIOUS SURFACE COVERAGE</b><br>see definition on reverse (IN PERCENT) |           |          |          |
| <b>TOTAL GROSS FLOOR AREA (FAR)</b> see definition on reverse (IN SQ FT)     |           |          |          |
| YARD SETBACK - PRINCIPAL STRUCTURE   |           |          |          |
|  | PERMITTED | EXISTING | PROPOSED |
| <b>FRONT (IN FEET)</b>   |           |          |          |
| <b>ONE SIDE (IN FEET)</b>  |           |          |          |
| <b>TOTAL OF TWO SIDES (IN FEET)</b>  |           |          |          |
| <b>REAR (IN FEET)</b>  |           |          |          |
| YARD SETBACK - ACCESSORY STRUCTURE   |           |          |          |
|  | PERMITTED | EXISTING | PROPOSED |
| <b>TO PRINCIPAL BUILDING (IN FEET)</b>                                       |           |          |          |
| <b>SIDE (IN FEET)</b>  |           |          |          |
| <b>REAR (IN FEET)</b>  |           |          |          |
| PARKING/DRIVEWAY SETBACKS  |           |          |          |
|  | PERMITTED | EXISTING | PROPOSED |
| <b>TO PRINCIPAL BUILDING (IN FEET)</b>                                       |           |          |          |
| <b>FRONT (IN FEET)</b>   |           |          |          |
| <b>ONE SIDE (IN FEET)</b>  |           |          |          |
| <b>TOTAL OF TWO SIDES (IN FEET)</b>  |           |          |          |
| <b>REAR (IN FEET)</b>  |           |          |          |
| HEIGHT, PARKING SPACES, LOADING AREA   |           |          |          |
|  | PERMITTED | EXISTING | PROPOSED |
| <b>TOTAL PARKING SPACES</b>  |           |          |          |
| <b>LOADING AREA</b>  |           |          |          |
| <b>BUILDING HEIGHT (IN FEET)</b> see reverse                                 |           |          |          |
| <b>NUMBER OF STORIES</b>   |           |          |          |
| <b>TOTAL HEIGHT (IN FEET)</b>  |           |          |          |

**IMPERVIOUS SURFACES, GROSS COVERAGE** -- The sum of the horizontal area of coverage or footprint of all buildings, structures, paved areas, patios and other improved surfaces on a lot preventing natural runoff to percolate into the soil, measured in square feet. Areas paved with gravel, crushed stone and other materials used to support vehicles shall be considered impervious surfaces for the purposes of this chapter. Swimming pools and tennis courts that are unenclosed shall not be considered impervious surfaces for the purposes of this chapter. [Added 7-8-1987 by L.L. No. 3-1987]

**FLOOR AREA, GROSS (MULTIFAMILY AND NONRESIDENTIAL)** -- The sum of the horizontal area of all stories of a building, measured from the exterior faces of exterior walls, or, in the case of a common wall separating two buildings, from the center line of such common walls, but excluding unenclosed porches, porticoes, balconies, raised platforms, roof overhangs, gutters and chimneys, and nonhabitable space in a basement devoted to mechanical equipment, accessory storage, parking and/or loading. [Amended 6-11-2003 by L.L. No. 5-2003]

**FLOOR AREA, GROSS (ONE-FAMILY RESIDENTIAL)** For all one-family dwellings, the sum of the horizontal area of all stories of a building, measured from the exterior faces of exterior walls. Any interior space with a floor-to-ceiling height in excess of 16 feet shall be counted twice. In calculating the gross floor area of a one-family dwelling, and for the purpose of calculating floor area ratio (FAR), the following shall be excluded: half-stories; decks; patios; unenclosed porches, porticoes, balconies and raised platforms; roof overhangs; gutters; chimneys; minor accessory structures; and basements in which the surface of the floor above such basement is less than six feet above the average finished grade of the ground adjoining the building. For all one-family dwellings meeting additional yard requirements set forth in this chapter on lots 80,000 square feet or greater in the R-20, R-30 and R-40 One-Family Residence Districts, the gross floor area shall be the sum of the horizontal area of all stories of a building, measured from the exterior faces of exterior walls. Any interior space with a floor-to-ceiling height in excess of 20 feet shall be counted twice. In calculating the gross floor area and for the purpose of calculating floor area ratio (FAR), the following shall be excluded: half-stories; decks; patios; unenclosed porches, porticoes, balconies and raised platforms; roof overhangs; gutters; chimneys; minor accessory structures; and basements in which the surface of the floor above such basement is less than eight feet above the average finished grade of the ground adjoining the building. [Added 6-11-2003 by L.L. No. 5-2003; amended 5-22-2013 by L.L. No. 2-2013; 11-8-2017 by L.L. No. 6-2017]

**BUILDING AREA** The total area of land covered by all principal and accessory buildings on a lot, measured in square feet, excluding cornices, eaves and gutters; chimneys projecting not more than 24 inches; steps; bay windows; and balconies, not extending more than one story in height and not more than five feet horizontally. [Amended 7-8-1987 by L.L. No. 3-1987]

**FLOOR AREA RATIO (FAR)** -- The gross floor area divided by the lot area. [Amended 6-11-2003 by L.L. No. 5-2003]

**HEIGHT** The vertical distance to the level of the highest point of the roof for flat or mansard roofs, or to the mean height between the eave and the ridge for other types of roofs, measured at the center of the front wall of the building from the average level of the finished ground surface across the front of the building or from the average level of the finished ground surface adjacent to the exterior walls of the building, whichever is lower. Where the finished ground surface is made by filling, the level of such finished ground surface for the purpose of this definition shall not be deemed to be more than 10 feet above or below the established grade of the curb of the street which the building faces; or, if there is no curb, the established grade of the center of the street which the building faces. For all one-family dwellings meeting additional yard requirements set forth in this chapter on lots 80,000 square feet or greater in the R-20, R-30 and R-40 One-Family Residence Districts, the height shall be measured as the vertical distance to the mean height between the eaves and the ridges, measured across the entire roofline from the finished grade. Chimneys, elevator penthouses, tanks and similar projections located on any building other than an office or agency for scientific research or technical development or on a laboratory shall not be included in such measurements, provided that such projection does not occupy more than 15% of the roof area, and further provided that such projection does not exceed 15 feet in height. Chimneys, elevator penthouses, tanks and similar projections located on an office or agency for scientific research or technical development or on a laboratory shall not be included in such measurements, provided that such projection does not occupy more than 80% of the roof area, and further provided that such projection does not exceed 30 feet in height. Notwithstanding the above, in the case of residential buildings on sloping sites limited to 2 1/2 stories (where basements do not constitute a story as defined below), the finished grade of a building shall be measured from one foot below the first floor elevation; provided, however, that the height of the highest wall, measured from the average grade along that wall to the lowest point of the eave or lower edge of the roof, shall not exceed 33 feet. [Amended 7-8-1987 by L.L. No. 3-1986; 11-9-1994 by L.L. No. 9-1994; 5-22-2013 by L.L. No. 2-2013]

| One-Family Residence Zone                                      | Min. Lot Area sq. ft. | Minimum Yards |      |          |                    | Maximum Coverage   |                        |                     |                   |
|--|-----------------------|---------------|------|----------|--------------------|--|------------------------|---------------------|-------------------|
|  |                       | Front         | Rear | One Side | Total of two Sides | Principal Building   | Accessory Building (s) | Impervious Surfaces | Minimum Lot Width |
| <b>R-40</b>  | 40,000                | 40            | 36   | 25       | 50                 | 14%  | 3.50%                  | 21.75%              | 150               |
| Detached Accessory Structures/Off Street Parking Areas Minimum |                       |               |      |          |                    | 10' from Principal Structure, 20' from Side, 20' from Rear |                        |                     |                   |
| <b>R-30</b>  | 30,000                | 35            | 34   | 20       | 45                 | 16%  | 4.00%                  | 25%                 | 135               |
| Detached Accessory Structures/Off Street Parking Areas Minimum |                       |               |      |          |                    | 10' from Principal Structure, 18' from Side, 18' from Rear |                        |                     |                   |
| <b>R-20</b>  | 20,000                | 30            | 32   | 18       | 40                 | 18%  | 4.50%                  | 29%                 | 120               |
| Detached Accessory Structures/Off Street Parking Areas Minimum |                       |               |      |          |                    | 10' from Principal Structure, 16' from Side, 16' from Rear |                        |                     |                   |
| <b>R-15</b>  | 15,000                | 27            | 30   | 14       | 30                 | 20%  | 5.00%                  | 33.50%              | 115               |
| Detached Accessory Structures/Off Street Parking Areas Minimum |                       |               |      |          |                    | 10' from Principal Structure, 14' from Side, 14' from Rear |                        |                     |                   |
| <b>R-10</b>  | 10,000                | 25            | 28   | 12       | 26                 | 22%  | 5.50%                  | 37.25%              | 100               |
| Detached Accessory Structures/Off Street Parking Areas Minimum |                       |               |      |          |                    | 10' from Principal Structure, 12' from Side, 12' from Rear |                        |                     |                   |
| <b>R-7.5</b>   | 7,500                 | 20            | 26   | 10       | 22                 | 24%  | 6.00%                  | 40.75%              | 75                |
| Detached Accessory Structures/Off Street Parking Areas Minimum |                       |               |      |          |                    | 10' from Principal Structure, 10' from Side, 10' from Rear |                        |                     |                   |
| <b>R-5</b>   | 5,000                 | 20            | 26   | 8        | 18                 | 30% (all buildings)  |                        | 43.75%              | 50                |
| Detached Accessory Structures/Off Street Parking Areas Min     |                       |               |      |          |                    | 8' from Principal Structure, 8' from Side, 8' from Rear    |                        |                     |                   |